




PLASTIC DIVISION

METAL DIVISION

- 
- 4 MUDGUARDS
 - 6 TOOLBOXES
 - 15 ISOTHERMAL BOX
 - 16 WATER TANKS
 - 18 FIREBOXES
 - 24 DOCUMENT HOLDERS
 - 26 PLASTIC WHEEL CHOCKS
 - 27 FARM TRACTOR FENDERS

PLASTIC DIVISION



PARAJET



CODE	L in	S in	W in	H in	MATERIAL*	WEIGHT lbs
RPRE900230NO**	55,1"	35,4"	9,1"	16,3"	PE	3,5
IPRE900280NO	55,1"	35,4"	11"	16,3"	PP	2,9
RPRE780380NO**	51,2"	30,7"	15"	16,7"	PE	4
IPRE880400NO	54,3"	34,6"	15,7"	17,1"	PP	4,4
IPRE880450NO	54,3"	34,6"	17,7"	17,1"	PP	4,9
IPREA10510NO	65,7"	39,8"	20,1"	21,3"	PP	7,7
IPREB50550NO	68,9"	45,3"	21,7"	21,3"	PP	7,7
IPREB50600NO	68,9"	45,3"	23,6"	21,9"	PP	8,4
IPRED00435NO	75,2"	51,2"	17,1"	23,2"	PP	8,2
IPRED20435NO	82,7"	52"	17,1"	26"	PP	8,8
IPRED40650NO	82,7"	52,8"	25,6"	26,4"	PP	13,2
IPRED00700NO***	74,8"	51,2"	27,6"	23,6"	PP	5,4

*Material PP: polypropylene / injection molding - PE: polyethylene / rotomolding
 **Smooth finish
 ***Fixing-assisted PARAJET for adjustable nylon brackets

FLAT TOP PARAJET





CODE	L in	S in	W in	H in	MATERIAL*	WEIGHT lbs
IPSE900280NO	57,1"	35,4"	11"	17,7"	PP	3,3
IPSE910450NO	57,9"	35,8"	17,7"	17,7"	PP	5,5
IPSEA00510NO	73,6"	42,5"	21,7"	21,9"	PE	11,2
RPSEA80650NO	1870	1080	550	555	PE	5,1

*Material PP: polypropylene / injection molding - PE: polyethylene / rotomolding

***Fixing-assisted PARAJET: drilling markers for adjustable nylon brackets

Matt finish



HALF PARAJET



CODE	L in	W in	MATERIAL*	WEIGHT lbs
IPME700450NO	27,6"	17,7"	PP	2,87
IPME700650NO	27,6"	25,6"	PP	4,19
IPME800450NO	31,5"	17,7"	PP	3,31
IPME800650NO	31,5"	25,6"	PP	4,85
IPMEA00450NO	39,4"	17,7"	PP	3,97
IPMEA00650NO	39,4"	25,6"	PP	6,17

*Material PP: polypropylene / injection molding

ANTISPRAY REG. (EU) N. 109/2011



CODE	H in	W in	MATERIAL*	WEIGHT lbs
IASE750435NO	29,5"	17,1"	PP	2,6
IASE750500NO	29,5"	19,7"	PP	2,9
IASE750550NO	29,5"	21,7"	PP	3,1
IASE750600NO	29,5"	23,6"	PP	3,3
IASE750650NO	29,5"	25,6"	PP	3,7

*Material PP: polypropylene / injection molding



Table:
 L = Length (in)
 S = Span (in)
 W = Width (in)
 H = Height (in)

Antispray fixing holes



Regulation (EU) N. 109/2011





Table:
L = Length (in)
D = Depth (in)
H = Height (in)

MAGIC BOX							
CODE	ARTICLE	L in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
RNAEF34000N0	MAGIC BOX 120	47,2"	18,9"	19,7"	PE	37,5	61
RNAEF33000N0	MAGIC BOX 120 S	47,2"	18,9"	15,7"	PE	33,5	47,7
RNAEE34000N0	MAGIC BOX 100	39,4"	19,3"	19,7"	PE	28,2	50,2
RNAEE33000N0	MAGIC BOX 100 S	39,4"	19,3"	15,7"	PE	24	39,8
RNAED34000N0	MAGIC BOX 80	31,5"	19,3"	19,7"	PE	22,7	39,9
RNAED33000N0	MAGIC BOX 80 S	31,5"	19,3"	15,7"	PE	20,3	31,7
RNAEC45000N0	MAGIC BOX 70	27,6"	23,6"	19,7"	PE	22	45,3
RNAEC44000N0	MAGIC BOX 70 S	27,6"	13,8"	13,8"	PE	13	16,9
RNAEC34000N0	MAGIC BOX 60	23,6"	18,5"	17,7"	PE	16,5	26,9
RNAEC33000N0	MAGIC BOX 60 S	23,6"	18,5"	15,7"	PE	14,6	23,8
RNAEB13000N0	MAGIC BOX 50	19,7"	14,6"	15,7"	PE	11,2	14,5
RNAEB22000N0	MAGIC BOX 50 S	19,7"	17,7"	11,8"	PE	9,5	13,6
RNAEA12000N0	MAGIC BOX 40	15,7"	14,6"	13,8"	PE	8,8	9,9

*Material PE: polyethylene / rotomolding - Endurance temperature: from +60°C to -45°C

LOADING BED SUPPORTS*	
CODE	ARTICLE
FSUMKT4E2MN7	"U" support for MAGIC BOX 120
FSUMKT4C2MN7	"U" support for MAGIC BOX 120 S
FSUMKT4E2FN7	"U" support for MAGIC BOX 100
FSUMKT4C2FN7	"U" support for MAGIC BOX 100 S
FSUMKT4E2GN7	"U" support for MAGIC BOX 80
FSUMKT4C2GN7	"U" support for MAGIC BOX 80 S
FSUMKT4E2JN7	"U" support for MAGIC BOX 70
FSUMKT4F2JN7	"U" support for MAGIC BOX 70 S
FSUMKT4D2IN7	"U" support for MAGIC BOX 60
FSUMKT4C2IN7	"U" support for MAGIC BOX 60 S
FSUM4AXXN7	Side bars support for MAGIC BOX 50
FSUM4AXXN7	Side bars support for MAGIC BOX 50 S
FSUM4AXXN7	Side bars support for MAGIC BOX 40

*Material: hot dip galvanized steel

CHASSIS SUPPORTS*	
CODE	ARTICLE
FSUMKT2X2MN7	Chassis support for MAGIC BOX 120
FSUMKT2X2MN7	Chassis support for MAGIC BOX 120 S
FSUMKT2X2FN7	Chassis support for MAGIC BOX 100
FSUMKT2X2FN7	Chassis support for MAGIC BOX 100 S
FSUMKT2X2GN7	Chassis support for MAGIC BOX 80
FSUMKT2X2GN7	Chassis support for MAGIC BOX 80 S
FSUMKT2X2JN7	Chassis support for MAGIC BOX 70
FSUMKT201JN7	Chassis support for MAGIC BOX 70 S
FSUMKT2X2IN7	Chassis support for MAGIC BOX 60
FSUMKT2X2IN7	Chassis support for MAGIC BOX 60 S

*Material: hot dip galvanized steel

SPARE PARTS	
CODE	ARTICLE
HACYMAGSOFNO	Traction handle

THE LINE COMPLIES WITH THE REGULATION ECE R73.01 - SIDE GUARD PROTECTION DEVICE

PLUS 1
Regulation ECE R73.01
(The Homologation is valid only with Co.Par. supports)



PLUS 2
Traction handle




PLUS 3
Double-walled inside closing lid




PLUS 4
Embossed logo




Loading bed "U" support



Loading bed side bars support



Chassis support





NOVA BOX							
CODE	ARTICLE	L in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
ICBEE34000N0	NOVA BOX 100	39,4"	19,7"	19,7"	PP	20,7	42,3
ICBED34000N0	NOVA BOX 80	31,5"	18,5"	18,9"	PP	16,5	32,8
ICBEC45000N0	NOVA BOX 64	25,2"	19,3"	20,9"	PP	15,4	30,1
ICBEC32000N0	NOVA BOX 60	23,6"	18,5"	15,7"	PP	11,4	19,2
ICBEB20000N0	NOVA BOX 50	19,7"	15,7"	13,8"	PP	6,3	11,1
ICBEB19000N0	NOVA BOX 50 D	19,7"	11,8"	13,8"	PP	5,5	7,9

*Material PP: polypropylene / injection molding - Endurance temperature: from +60°C to -45°C



Table:
L = Length (in)
D = Depth (in)
H = Height (in)

LOADING BED SUPPORTS*	
CODE	ARTICLE
FSUMKT4D2NN7	"U" support for NOVA BOX 100
FSUMKT4D2HN7	"U" support for NOVA BOX 80
FSUMKT4E2KN7	"U" support for NOVA BOX 64
FSUMKT4B2LN7	"U" support for NOVA BOX 60
FSUM4AXXN7	Side bars support for NOVA BOX 50
FSUM4AXXN7	Side bars support for NOVA BOX 50 D

*Material: hot dip galvanized steel

CHASSIS SUPPORTS*	
CODE	ARTICLE
FSUMKT2X2NN7	Chassis support for NOVA BOX 100
FSUMKT2X2HN7	Chassis support for NOVA BOX 80
FSUMKT2X2KN7	Chassis support for NOVA BOX 64
FSUMKT2X2LN7	Chassis support for NOVA BOX 60

*Material: hot dip galvanized steel

SPARE PARTS	
CODE	ARTICLE
HACVMAGSDFN0	Traction handle


UNIVERSAL SUPPORT*	
CODE	ARTICLE
FSUMORNOVAN7	Horizontal support for NOVA BOX 50 D - 50 - 60 - 64

*Material: hot dip galvanized steel

PLUS 5
Logo



Embossed / Pad printing



THE LINE COMPLIES WITH THE REGULATION ECE R73.01 - SIDE GUARD PROTECTION DEVICE


PLUS 1
Regulation ECE R73.01
(The Homologation is valid only with Co.Par. supports)



PLUS 2
Traction handle




PLUS 3
Overlapping lid




PLUS 4
Reinforced hinge




EXTRA PLUS
STACKABLE




Universal support
Nova Box 50 D - 50 - 60 - 64
NO REGULATION ECE R73.01



Loading bed "U" support




Loading bed side bars support




Chassis support






LED



PLUS 5
Logo



Embossed / Pad printing



THE LINE COMPLIES WITH THE REGULATION ECE R73.01 - SIDE GUARD PROTECTION DEVICE

PLUS 1
Regulation ECE R73.01
(The Homologation is valid only with Co.Par. supports)



PLUS 2
Traction handle



PLUS 3
Overlapping lid



PLUS 4
Reinforced hinge



NOVA BOX 100



Table:
L = Length (in)
D = Depth (in)
H = Height (in)

PP = Polypropylene
PE = Polyethylene
ABS = ABS

CODE	ARTICLE	L in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
ICBEE3400N0	NOVA BOX 100	39,4"	19,7"	19,7"	PP	20,7	42,3

*Material PP: polypropylene / injection molding - Endurance temperature: from +60°C to -45°C

NOVA BOX 100 MULTI: OPTIONAL ACCESSORIES & SPARE PARTS

CODE	ARTICLE	MATERIAL	WEIGHT lbs	CAPACITY gal
HACCKIT00100	Dividers kit (3 pcs)	PP	5,95	-
HACCKIT00300	Drawers kit (3 pcs)	PE	4,63	2,1 x drawer
HACCKIT00200	Lid shelf	ABS	3,57	-
HACCKIT00400	Lid fixing chains kit (2 pcs)	INOX	0,11	-
HACCKIT00700	LED light	-	0,11	-

LOADING BED SUPPORT*

CODE	ARTICLE
FSUMKT4D2NN7	"U" support for NOVA BOX 100

*Material: hot dip galvanized steel

CHASSIS SUPPORT*

CODE	ARTICLE
FSUMKT2X2NN7	Chassis support for NOVA BOX 100

*Material: hot dip galvanized steel


Divider



Drawer (8 lt)



Loading bed "U" support




Chassis support



Lid shelf



Lid fixing chains kit



LED light





Drawbar fit





TOOLBOX RTM 50x25x25							
							
CODE	ARTICLE	L in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
RCAEB5500N0	TOOLBOX RTM 50x25x25	19,7"	9,8"	9,8"	PE	6,6	5,3
*Material PE: polyethylene / rotomolding - Endurance temperature: from +60°C to -45°C							



Table:
L = Length (in)
D = Depth (in)
H = Height (in)
T = Thickness (in)

SUPPORTS* & SPARE PARTS				
			SIDE BAR	
CODE	ARTICLE	FIXING SYSTEM	H in	T in
FSUM4AXXN7	Support for TOOLBOX RTM 50x25x25	SIDE BARS	12,4"	0,2"
HACXMM10DXCV	Handle			
*Material: hot dip galvanized steel				





TRAILER BOX 63							
							
CODE	ARTICLE	L in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
ICTRA6300N0	TRAILER BOX 63	24,8"	12,6"	14"	PP	4,4	11,9
*Material PP: polypropylene / injection moulding - Endurance temperature: from +60°C to -45°C							




Table:
L = Length (mm)
D = Depth (mm)
H = Height (mm)

ACCESSORIES & SPARE PARTS	
CODE	ARTICLE
IJTR36300N0	Ergonomic closing clip
HACTRAKITNO	Spacers kit (4 pcs)





THE LINE COMPLIES WITH THE REGULATION **ECE R73.01** - SIDE GUARD PROTECTION DEVICE

MINI BOX 35							
							
CODE	ARTICLE	L in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
ICAEA12000N0	MINI BOX 35	13,8"	13,8"	13,8"	PP	4,9	6,9
*Material PP: polypropylene / injection molding - Endurance temperature: from +60°C to -45°C							




Table:
L = Length (in)
D = Depth (in)
H = Height (in)
T = Thickness (in)

SUPPORTS* & SPARE PARTS					
CODE	ARTICLE	FIXING SYSTEM	SIDE BAR		
			H in	D in	T in
FSUM4AXXN7	Support for MINI BOX 35	SIDE BARS	12,4"	0,2"	
HACYMINI00N0	Ergonomic handle				
*Material: hot dip galvanized steel					

PLUS 1
Regulation ECE R73.01
(The Homologation is valid only with Co.Par. supports)

PLUS 2
Overlapping lid



Ergonomic handle



Side bars




IGL00 (isothermal box)							
							
CODE	ARTICLE	L in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
RCAED44000B0	IGL00	31,5"	18,1"	19,7"	PE	34,6	26,9
*Material PE: polyethylene / rotomolding - Endurance temperature: from +60°C to -45°C							




Table:
L = Length (in)
D = Depth (in)
H = Height (in)
T = Thickness (in)

SUPPORTS*					
CODE	ARTICLE	H in	D in	T in	
FSUMKTIGLOZO	Support for IGL00	23,6"	23,6"	0,2"	
*Material: galvanized steel					

Insulating foam



Support





IDRO 18 / 25 / 40							
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
RSTIDRO18SNO	IDRO 18 (tap + soap dispenser)	13,6"	11,5"	12,2"	PE	4,2	5
RSTIDRO25SNO	IDRO 25 (tap + soap dispenser)	11,8"	19,5"	11,9"	PE	5,7	6,6
RSTIDRO40SNO	IDRO 40 (tap + soap dispenser)	14,2"	19,5"	14,2"	PE	6,6	10,6
*Material PE: polyethylene / rotomolding							




Table:
 W = Width (in)
 D = Depth (in)
 L = Length (in)
 H (1 / 2 / 3) = Height (in)
 T = Thickness (in)

SUPPORTS* & SPARE PARTS				
CODE	ARTICLE	L in	H 1 / 2 / 3 in	T in
FSUMID1800ZC	Support for IDRO 18	5,1"	9,7"	0,12"
FSUMORNOVAN7	Support for IDRO 25 / 40	17,9"	6,2 / 3,2"	0,12"
HACP060ACC	3/4" Tap			
HACP030TAP	2" Cap			
HACVDOS100NO	Soap dispenser (black)			
*Material: hot dip galvanized steel				

Support IDRO 18



Support IDRO 25 / 40



Soap dispenser



WATER TANK RTM 32 / 50							
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs	CAPACITY gal
RSDE31100000	WATER TANK RTM 32 (tap + soap dispenser)	15,4"	19,7"	13,8"	PE	5,7	8,5
RSDE73100000	WATER TANK RTM 50 (tap + soap dispenser)	18,6"	21"	16,6"	PE	7,3	13,2
*Material PE: polyethylene / rotomolding							





Table:
 W = Width (in)
 D = Depth (in)
 L = Length (in)
 H (1 / 2) = Height (in)
 T = Thickness (in)

SUPPORTS* & SPARE PARTS				
CODE	ARTICLE	L in	H 1 / 2 in	T in
FSUMSETS50NO	Support for WATER TANK RTM 32 / 50	21,8"	6,4 / 0,7"	0,12"
HACP060ACC	3/4" Tap			
HACP030TAP	2" Cap			
HACVDOS100B0	Soap dispenser (white)			
*Material: hot dip galvanized steel				

Support WT RTM 32 / 50



2" Cap



3/4" Tap



Soap dispenser



Side tap



Anti-squeeze tube



2" Cap



3/4" Tap





UNICO 6							
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs	Extinguisher lbs
IESE600C01R0	UNICO 6	11,8"	6,9"	22,2"	PP	5,7	13,2
*Material PP: polypropylene / injection molding							




Table:
W = Width (in)
D = Depth (in)
H = Height (in)

UNICO 9-12							
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs	Extinguisher lbs
IESE912C01R0	UNICO 9-12	12,6"	8,5"	30,3"	PP	9,6	19,8 / 26,5
*Material PP: polypropylene / injection molding							




Table:
W = Width (in)
D = Depth (in)
H = Height (in)


SPARE PARTS	
CODE	ARTICLE
FACCFLASCH04	Galvanized steel support
HACP075PEE	Nylon fastening belt
HACPD4564N0	EPDM hook
HACVOP00100	Security cotter pin

SPARE PARTS	
CODE	ARTICLE
FACCFLA12VN0	Black powder coated steel support
HACPEVE0A000	PU fastening buckle
HACPD4564N0	EPDM hook
HACVOP00100	Security cotter pin
IDEM600F0000	Inspection window

Logo



Security cotter pin



PLUS 1
PPEPDM inserts




PLUS 2
Metal support




PLUS 3
EPDM hooks



Security cotter pin



Logo




Hermetic lid



Steel support



PU fastening buckle
for quick release



EPDM hooks



Inspection window





DEMON 6							
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs	Extinguisher lbs
IDEM602000NR	DEMON 6	12,4"	9,4"	23,9"	PP	5,3	13,2
*Material PP: polypropylene / injection molding							





Table:
W = Width (in)
D = Depth (in)
H = Height (in)

SPARE PARTS	
CODE	ARTICLE
HACP070PEE30	Nylon fastening belt
HACVC0P00100	Security cotter pin

Logo



Front window for manometer inspection



Double fastening belt in ultra resistant Nylon




Coloured strap of immediate visibility for quick release



Overlapping lid + EPDM seal completely hermetic



Security cotter pin



GRISÙ 6 / 9 / 12							
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs	Extinguisher lbs
RESEGRS690RN	GRISÙ 6-9 single	13,4"	9,4"	28"	PE	10,2	13,2 / 19,8
RESEGRD690RN	GRISÙ 6-9 double	22,4"	9,4"	29,1"	PE	16,5	13,2 / 19,8
RESEGRS912RN	GRISÙ 9-12 single	13,4"	9,4"	30,7"	PE	13	19,8 / 26,5
*Material PE: polyethylene / rotomolding							





Table:
W = Width (in)
D = Depth (in)
H = Height (in)

SPARE PARTS	
CODE	ARTICLE
HACP099PEE	Nylon fastening belt

Double wall



Moulded-in plexiglas window



Nylon fastening belt





ROCKET 6							
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs	Extinguisher lbs
RESERO6000RO	ROCKET 6	10,4"	11,4"	25,8"	PE	7,5	13,2
*Material PE: polyethylene / rotomolding							




Table:
W = Width (in)
D = Depth (in)
H = Height (in)

SUPPORTS*	
CODE	ARTICLE
FSUM4AXXN7	Horizontal support
FSUMRO6000ZC	Adjustable support
*Material: hot dip galvanized steel	

Horizontal support



Adjustable support




Adjustable support




Overlapping lid



Structural reinforcement ribs



Fastening harness



Reflective adhesive label



Logo





DOCUBOX						
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs
IDOX10B000N0	DOCUBOX	11,1"	2,4"	14,3"	PP	1,5
*Material PP: polypropylene / injection molding						




Table:
W = Width (in)
D = Depth (in)
H = Height (in)

Padlock NOT INCLUDED



Water-tight

Detachable lid with rubber hook

Logo

Carbon fiber texture

POD						
CODE	ARTICLE	W in	D in	H in	MATERIAL*	WEIGHT lbs
RXCEDOC10AN0	POD	11"	2,4"	13,8"	PE	1,8
*Material PE: polyethylene / rotomolding						




Table:
W = Width (in)
D = Depth (in)
H = Height (in)


Padlock NOT INCLUDED

Water-tight

Detachable lid with INOX chain

Logo

Padlock NOT INCLUDED



THE LINES COMPLIES WITH THE HOMOLOGATION DIN 76051

PLASTIC WHEEL CHOCKS DIN 76051							
CODE	ARTICLE	W in	L in	H in	R in	MATERIAL*	WEIGHT lbs
HACPPAC11100	Plastic wheel chock NG53**	7,9"	18,5"	9,1"	18,1"	PP	2,9
HACPPANG4600	Plastic wheel chock NG46	6,3"	15"	7,5"	22"	PP	1,8
*Material PP: polypropylene / injection molding		**ADR Certified		Made in Spain			




Table:
W = Width (in)
L = Length (in)
H = Height (in)
R = Radius (in)

SUPPORTS*	
CODE	ARTICLE
HACPPATG53N1	Support for 1 wheel chock NG53 or NG46
HACPPATG02N1	Support for 2 wheel chocks NG53
*Material: black powder painted steel	

Homologation DIN 76051-53



Homologation DIN 76051-46



Anti-slip steel blade (NG46 only)



Support for 1 wheel chock NG53 or NG46



Support for 2 wheel chocks NG53



FARM TRACTOR FENDERS					
CODE	W in	L in	R in	MATERIAL*	WEIGHT lbs
IPME81023SNO	9,1"	31,9"	21,3"	PP	1,3
IPME89523SNO	9,1"	35,2"	21,3"	PP	1,4
IPMEA00265NO	10,4"	39,4"	24,2"	PP	2
IPME95031SNO	12,4"	37,4"	26,8"	PP	2,6
IPMEA0031SNO	12,4"	39,4"	26,8"	PP	2,7
IPMEB2731SNO	12,4"	44,4"	26,8"	PP	3,2
IPMEA7535SNO	14"	42,3"	28,3"	PP	3,5
IPMEC4535SNO	14"	49"	28,3"	PP	4,1
IPMEC4541SNO	16,1"	49"	28,3"	PP	4,6
IPMEE00520NO	20,5"	55,1"	32,3"	PP	6,7
IPMEF50520NO	20,5"	61"	32,3"	PP	7,5
*Material PP: polypropylene / injection molding - Endurance temperature: from +60°C to -45°C					




Table:
W = Width (in)
L = Length (in)
R = Radius (in)



- 30 MUDGUARDS
- 38 CORNER-EDGED MUDGUARDS
- 39 LEISURE TRAILER MUDGUARDS
- 40 MUDGUARD FIXING KIT Ø 42
- 42 MUDGUARD FIXING KIT Ø 54
- 44 PILLARS
- 64 BUMPER BARS
- 65 LOAD FASTENING BARS

METAL DIVISION



Galvanized steel



SINGLE AXLE			
STEEL THICKNESS: 0,03 IN			
CODE	L in	S in	W in
GPBZG650D40	82,7"	52,8"	25,6"
GPBZG600D40	82,7"	52,8"	23,6"
GPBZG450D40	82,7"	52,8"	17,7"
GPBZP550C60	78,7"	49,6"	21,7"
GPBZP650C00	74,8"	47,2"	25,6"
GPBZP600C00	74,8"	47,2"	23,6"
GPBZP550C00	72,8"	47,2"	21,7"
GPBZP650B15	70,9"	43,9"	25,6"
GPBZP600B15	70,9"	43,9"	23,6"
GPBZP550B10	68,9"	43,7"	21,7"
GPBZP500B20	68,9"	44,1"	19,7"
GPBZP550A00	65"	39,4"	21,7"
GPBZP500A00	65"	39,4"	19,7"
GPBZP475A00	63"	39,4"	18,7"
GPBZP450A00	59,1"	39,4"	17,7"
GPBZP425A00	59,1"	39,4"	16,7"
GPBZP280A00	59,1"	39,4"	11"
GPBZP240900	51,2"	35,4"	9,4"
GPBZP450880	53,5"	34,6"	17,7"
GPBZP400880	53,5"	34,6"	15,7"
GPBZP280880	51,2"	34,6"	11"
GPBZP220800	51,2"	31,5"	8,7"
GPBZG700D40A*	82,7"	52,8"	27,6"
*Thickness: 0,04 in			


MULTI AXLE			
STEEL THICKNESS: 0,03 IN			
CODE	L in	S in	W in
GPIZG650Q00	192,9"	161,4"	25,6"
GPIZG600Q00	192,9"	161,4"	23,6"
GPIZG500Q00	192,9"	161,4"	19,7"
GPIZG450Q00	192,9"	161,4"	17,7"
GPIZG650N40	137,8"	107,9"	25,6"
GPIZG600N40	137,8"	107,9"	23,6"
GPIZG650M40	133,9"	103,9"	25,6"
GPIZG600M40	133,9"	103,9"	23,6"
GPIZG700N40A*	137,8"	107,9"	27,6"
*Thickness: 0,04 in			

HALF		
STEEL THICKNESS: 0,03 IN		
CODE	L in	W in
GPAZP650C00	47,2"	25,6"
GPAZP650A00	39,4"	25,6"
GPAZP600A00	39,4"	23,6"
GPAZP500A00	39,4"	19,7"
GPAZP650800	31,5"	25,6"
GPAZP600800	31,5"	23,6"
GPAZP500800	31,5"	19,7"
GPAZP650700	27,6"	25,6"
GPAZP600700	27,6"	23,6"
GPAZP500700	27,6"	19,7"
GPAZP600650	25,6"	23,6"
GPAZP600600	23,6"	23,6"




Table:
L = Length (in)
S = Span (in)
W = Width (in)

NOTE: TAILOR SIZED MUDGUARDS AVAILABLE ON DEMAND



Stainless steel 304



SINGLE AXLE			
STEEL THICKNESS: 0,03 IN			
CODE	L in	S in	W in
GPBHG650D40	82,7"	52,8"	25,6"
GPBHG600D40	82,7"	52,8"	23,6"
GPBHG450D40	82,7"	52,8"	17,7"
GPBHG650C60	78,7"	49,6"	21,7"
GPBHG650C00	74,8"	47,2"	25,6"
GPBHG600C00	74,8"	47,2"	23,6"
GPBHG650C00	72,8"	47,2"	21,7"
GPBHG650B15	70,9"	43,9"	25,6"
GPBHG600B15	70,9"	43,9"	23,6"
GPBHG650B10	68,9"	43,7"	21,7"
GPBHG650B20	68,9"	44,1"	19,7"
GPBHG650A00	65"	39,4"	21,7"
GPBHG500A00	65"	39,4"	19,7"
GPBHG450A00	59,1"	39,4"	17,7"
GPBHG425A00	59,1"	39,4"	14,7"
GPBHG450880	53,5"	34,6"	17,7"
GPBHG400880	53,5"	34,6"	15,7"
GPBHG280880	51,2"	34,6"	11"

MULTI AXLE			
STEEL THICKNESS: 0,03 IN			
CODE	L in	S in	W in
GPIHG650Q00	192,9"	161,4"	25,6"
GPIHG500Q00	192,9"	161,4"	19,7"
GPIHG450Q00	192,9"	161,4"	17,7"
GPIHG650N40	137,8"	107,9"	25,6"
GPIHG600N40	137,8"	107,9"	23,6"

HALF		
STEEL THICKNESS: 0,03 IN		
CODE	L in	W in
GPAHG650C00	47,2"	25,6"
GPAHG650A00	39,4"	25,6"
GPAHG500A00	39,4"	19,7"
GPAHG650800	31,5"	25,6"
GPAHG600800	31,5"	23,6"
GPAHG500800	31,5"	19,7"
GPAHG650700	27,6"	25,6"
GPAHG600700	27,6"	23,6"
GPAHG500700	27,6"	19,7"
GPAHG650600	23,6"	25,6"
GPAHG600600	23,6"	23,6"






Table:
L = Length (in)
S = Span (in)
W = Width (in)


NOTE: TAILOR SIZED MUDGUARDS AVAILABLE ON DEMAND




Stainless steel "FIORE"



SINGLE AXLE			
STEEL THICKNESS: 0,03 IN			
			
CODE	L in	S in	W in
GPBIG650D40	82,7"	52,8"	25,6"
GPBIG600D40	82,7"	52,8"	23,6"
GPBIG450D40	82,7"	52,8"	17,7"
GPBIG550C60	78,7"	49,6"	21,7"
GPBIG650C00	74,8"	47,2"	25,6"
GPBIG600C00	74,8"	47,2"	23,6"
GPBIG550C00	72,8"	47,2"	21,7"
GPBIG650B15	70,9"	43,9"	25,6"
GPBIG600B15	70,9"	43,9"	23,6"
GPBIG550B10	68,9"	43,7"	21,7"
GPBIG500B20	68,9"	44,1"	19,7"
GPBIG550A00	65"	39,4"	21,7"
GPBIG500A00	65"	39,4"	19,7"
GPBIG475A00	63"	39,4"	18,7"
GPBIG450A00	59,1"	39,4"	17,7"
GPBIG425A00	59,1"	39,4"	16,7"
GPBIG450880	53,5"	34,6"	17,7"
GPBIG400880	53,5"	34,6"	15,7"
GPBIG280880	51,2"	34,6"	11"

MULTI AXLE			
STEEL THICKNESS: 0,03 IN			
			
CODE	L in	S in	W in
GPIIG650Q00	192,9"	161,4"	25,6"
GPIIG500Q00	192,9"	161,4"	19,7"
GPIIG450Q00	192,9"	161,4"	17,7"
GPIIG650N40	137,8"	107,9"	25,6"
GPIIG600N40	137,8"	107,9"	23,6"
GPIIG650M40	133,9"	103,9"	25,6"
GPIIG600M40	133,9"	103,9"	23,6"

HALF		
STEEL THICKNESS: 0,03 IN		
		
CODE	L in	W in
GPAIG650C00	47,2"	25,6"
GPAIG650A00	39,4"	25,6"
GPAIG500A00	39,4"	19,7"
GPAIG650800	31,5"	25,6"
GPAIG600800	31,5"	23,6"
GPAIG500800	31,5"	19,7"
GPAIG650700	27,6"	25,6"
GPAIG600700	27,6"	23,6"
GPAIG500700	27,6"	19,7"
GPAIG650600	23,6"	25,6"
GPAIG600600	23,6"	23,6"






Table:
L = Length (in)
S = Span (in)
W = Width (in)


NOTE: TAILOR SIZED MUDGUARDS AVAILABLE ON DEMAND




Stainless steel "FIORE"



SINGLE AXLE			
STEEL THICKNESS: 0,04 IN			
			
CODE	L in	S in	W in
FPBIG650D40	82,7"	52,8"	25,6"
FPBIG450D40	82,7"	52,8"	17,7"
FPBIG600C00	74,8"	47,2"	23,6"
FPBIG550C00	72,8"	47,2"	21,7"
FPBIG650B15	70,9"	43,9"	25,6"
FPBIG600B15	70,9"	43,9"	23,6"
FPBIG550B10	68,9"	43,7"	21,7"
FPBIF550A00	63"	39,4"	21,7"
FPBIF500A00	63"	39,4"	19,7"
FPBIG450A00	59,1"	39,4"	17,7"
FPBIG425A00	59,1"	39,4"	16,7"
FPBIG450880	53,5"	34,6"	17,7"
FPBIG400880	53,5"	34,6"	15,7"
FPBIG280880	53,5"	34,6"	11"

MULTI AXLE			
STEEL THICKNESS: 0,04 IN			
			
CODE	L in	S in	W in
FPIIG650Q00	192,9"	161,4"	25,6"
FPIIG500Q00	192,9"	161,4"	19,7"
FPIIG450Q00	192,9"	161,4"	17,7"
FPIIG650N40	137,8"	107,9"	25,6"

HALF		
STEEL THICKNESS: 0,04 IN		
		
CODE	L in	W in
FPAIG650C00	47,2"	25,6"
FPAIG650A00	39,4"	25,6"
FPAIG500A00	39,4"	19,7"
FPAIG650800	31,5"	25,6"
FPAIG600800	31,5"	23,6"
FPAIG500800	31,5"	19,7"
FPAIG650700	27,6"	25,6"
FPAIG600700	27,6"	23,6"
FPAIG500700	27,6"	19,7"
FPAIG650600	23,6"	25,6"
FPAIG600600	23,6"	23,6"

NOTE: TAILOR SIZED MUDGUARDS AVAILABLE ON DEMAND






Table:
L = Length (in)
S = Span (in)
W = Width (in)




MULTI AXLE "FIORE"			
STEEL THICKNESS: 0,06 IN			
CODE	L in	S in	W in
FPHI0171800	137,8"	107,9"	25,6"

MULTI AXLE ALUMINIUM			
ALUMINIUM THICKNESS: 0,12" + 0,08"			
CODE	L in	S in	W in
FPIL3P227365	137,8"	107,9"	25,6"


MULTI AXLE / SINGLE AXLE ROUGH STEEL			
STEEL THICKNESS: 0,07 IN			
CODE	L in	S in	W in
MULTI AXLE			
FPHA01718000	137,8"	107,9"	25,6"
SINGLE AXLE			
FPHN65022000	86,6"	54,3"	25,6"
FPHA2204500	86,6"	54,3"	17,7"



Stainless steel "FIORE"



Rough steel



Aluminium



NOTE: TAILOR SIZED MUDGUARDS AVAILABLE ON DEMAND



SINGLE AXLE			
STEEL THICKNESS: 0,06 IN			
CODE	L in	S in	W in
GPKZP240860	54,3"	54,3"	9,4"
GPKZP220860	54,3"	54,3"	8,7"
GPKZP240800	50,6"	50,6"	9,4"
GPKZP200750	47,6"	47,6"	7,9"
GPKZP200700	44,5"	44,5"	7,9"
GPKZP150700	42,1"	42,1"	5,9"
GPKZP190680	41,7"	41,7"	7,5"
GPKZP220640	38,2"	38,2"	8,7"
GPKZP180640	38,2"	38,2"	7,1"
GPKZP160620	38,2"	38,2"	6,3"
GPKZP150580	36,6"	36,6"	5,9"
GPKZP150560	35,8"	35,8"	5,9"

Galvanized steel



TANDEM			
STEEL THICKNESS: 0,06 IN			
CODE	L in	S in	W in
GPLZP220F40	78,7"	78,7"	60,6"
GPLZP280F00	74"	74"	59,1"
GPLZP260F00	78"	78"	59,1"
GPLZP240F00	78"	78"	59,1"
GPLZP220F00	78"	78"	59,1"
GPLZP260E00	74"	74"	55,1"
GPLZP220D15	67,7"	67,7"	51,8"



Table:
L = Length (in)
S = Span (in)
W = Width (in)



Galvanized steel Stainless steel "FIORE"

ADJUSTABLE FIXING KIT (stay + mudg. fixings)			
CODE	MATERIAL	L in	T in
FOAASUP042Z0	Galvanized steel	23,6"	23,6"
FOAISUP04200	Stainless steel "FIORE"		



Galvanized steel Stainless steel "FIORE"

MUDGUARD FIXING	
CODE	MATERIAL
FOAASTA04200	Rough steel
FOAASTA042Z0	Galvanized steel
FOAASTA042XX	Stainless steel "FIORE"



Galvanized steel Black powder painted

TRIANGULARE FLANGE STAY WITH 3 HOLES			
CODE	MATERIAL	L in	T in
FOAATB3060Z0	Galvanized steel	23,6"	0,1"
FOAATB3070Z0		27,6"	0,1"
FOAATB3080Z0		31,5"	0,1"
FOAATB3060N0	Black powder painted	23,6"	0,1"
FOAATB3070N0		27,6"	0,1"
FOAATB3080N0		31,5"	0,1"



Galvanized steel Nylon

ADJUSTABLE MUDGUARD FIXING		
CODE	MATERIAL	Ø
FOAASTRN42Z0	Galvanized steel	1,65"
IQAYSTAD042R1	Nylon	1,65"
IQAYSTAD040R1	Nylon	1,57"
IQAYSTAD048R1	Nylon	1,89"



Galvanized steel Black powder painted

M18 THREAD INSERT STAY			
CODE	MATERIAL	L in	T in
FOAATCT600Z0	Galvanized steel	23,6"	0,1"
FOAATCT700Z0		27,6"	0,1"
FOAATCT800Z0		31,5"	0,1"
FOAATCT600N0	Black powder painted	23,6"	0,1"
FOAATCT700N0		27,6"	0,1"
FOAATCT800N0		31,5"	0,1"



STAY HOLDER	
CODE	MATERIAL
FOAAATT042Z0	Galvanized steel



CAP	
CODE	MATERIAL
IQAVTAP04200	PVC




Galvanized steel Black powder painted

"S" BENDED M18 THREAD INSERT STAY			
CODE	MATERIAL	L in	T in
FOAATMT075Z0	Galvanized steel	31,5"	0,1"
FOAATMT075N0	Black powder painted	31,5"	0,1"



SIDE GUARD KIT - Ø 42					
CODE	ARTICLE	MATERIAL	D in	H in	T in
FOAAPRC042Z0	Side guard kit	Galvanized steel	23,6"	18,5"	0,08"
FOAAATT042Z0	Stay holder	Galvanized steel	-	-	-

Table:
 L = Length (in)
 D = Depth (in)
 H = Height (in)
 T = Thickness (in)
 Ø = Diameter (in)



Galvanized steel Stainless steel 304 Stainless steel "FIORE"

ADJUSTABLE FIXING KIT (stay + mudg. fixings)			
CODE	MATERIAL	L in	T in
FOAASUP054Z0	Galvanized steel	29,1"	0,08"
FOAHSUP05400	Stainless steel 304		
FOAISUP05400	Stainless steel "FIORE"		




STAY			
CODE	MATERIAL	L in	T in
FOAATU7454Z0	Galvanized steel	29,1"	0,08"



Galvanized steel Stainless steel 304

45° BENDED STAY			
CODE	MATERIAL	L in	T in
FOAATU505400	Rough steel	29,1"	0,08"
FOAAT3505400	Rough steel		0,12"
FOAATU5054Z0	Galvanized steel		0,08"
FOAAT35S54Z0	Galvanized steel		0,12"
FOAHTU455400	Stainless steel 304		0,08"



Galvanized steel Stainless steel 304

CENTRAL SUPPORT			
CODE	MATERIAL	L in	T in
FOAASUPCENZ0	Galvanized steel	29,1"	0,08"
FOAHSUPCEN00	Stainless steel 304	29,1"	0,08"



Galvanized steel Stainless steel 304 Stainless steel "FIORE"

MUDGUARD FIXING	
CODE	MATERIAL
FOAASTA05400	Rough steel
FOAASTA054Z0	Galvanized steel
FOAHSTA05400	Stainless steel 304
FOAISTA05400	Stainless steel "FIORE"



ADJUSTABLE MUDGUARD FIXING		
CODE	MATERIAL	Ø
IQAVSTA054R1	Nylon	54



STAY HOLDER "MAMMUTH"	
CODE	MATERIAL
FOAATM054Z0	Galvanized steel



CAP	
CODE	MATERIAL
IQAVTAP05400	PVC



SIDE GUARD KIT - Ø 54					
CODE	ARTICLE	MATERIAL	D in	H in	T in
FOAAPRC054Z0	Side guard kit	Galvanized steel	31,5"	31,5"	0,08"
FOAATM054Z0	Stay holder "MAMMUTH"	Galvanized steel	-	-	-

Table:
L = Length (mm)
D = Depth (mm)
H = Height (mm)
T = Thickness (mm)
Ø = Diameter (mm)



FIX BOARD - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
	FMAA400ADXN7	Front right	0,98"	15,75"
	FMAA400ASXN7	Front left		
	FMAA400CENN7	Central		
	FMAA400PDXN7	Rear right		
	FMAA400PSXN7	Rear left	0,98"	19,69"
	FMAA500ADXN7	Front right		
	FMAA500ASXN7	Front left		
	FMAA500CENN7	Central		
	FMAA500PDXN7	Rear right	0,98"	23,62"
	FMAA500PSXN7	Rear left		
	FMAA600ADXN7	Front right		
	FMAA600ASXN7	Front left		
FMAA600CENN7	Central	0,98"	31,5"	
FMAA600PDXN7	Rear right			
FMAA600PSXN7	Rear left			
FMAA800ADXN7	Front right			
FMAA800ASXN7	Front left	0,98"	39,37"	
FMAA800CENN7	Central			
FMAA800PDXN7	Rear right			
FMAA800PSXN7	Rear left			
	FMAA800PSXN7	Rear left	0,98"	43,31"
	FMAA000ADXN7	Front right		
	FMAA000ASXN7	Front left		
	FMAA000CENN7	Central		
	FMAA000PDXN7	Rear right	0,98"	47,24"
	FMAA000PSXN7	Rear left		
	FMAA000ASXN7	Front left		
	FMAA000CENN7	Central		
	FMAA000PDXN7	Rear right	0,98"	47,24"
	FMAA000PSXN7	Rear left		
	FMAA000ASXN7	Front left		
	FMAA000CENN7	Central		

TERMINALS - galvanized steel		
CODE	ARTICLE	H in
FOAC400LDXZO	Side right	15,75"
FOAC400LSXZO	Side left	
FOAC400PDXZO	Rear right	
FOAC400PSXZO	Rear left	19,69"
FOAC500LDXZO	Side right	
FOAC500LSXZO	Side left	
FOAC500PDXZO	Rear right	23,62"
FOAC500PSXZO	Rear left	
FOAC600LDXZO	Side right	
FOAC600LSXZO	Side left	31,5"
FOAC600PDXZO	Rear right	
FOAC600PSXZO	Rear left	
FOAC800LDXZO	Side right	39,37"
FOAC800LSXZO	Side left	
FOAC800PDXZO	Rear right	
FOAC800PSXZO	Rear left	43,31"
FOACA00LDXZO	Side right	
FOACA00LSXZO	Side left	
FOACA00PDXZO	Rear right	47,24"
FOACA00PSXZO	Rear left	
FOACB00LDXZO	Side right	
FOACB00LSXZO	Side left	47,24"
FOACB00PDXZO	Rear right	
FOACB00PSXZO	Rear left	
FOACC00LDXZO	Side right	47,24"
FOACC00LSXZO	Side left	
FOACC00PDXZO	Rear right	
FOACC00PSXZO	Rear left	

Table:
H = Height (in)

Rough pocket to be welded



Galvanized side pocket, rear pocket



Adjustable pockets in galvanized steel: side, rear



Plastic caps for fix board pillars: front, central / rear



Board fixing plate [included]



ACCESSORIES & SPARE PARTS	
CODE	ARTICLE
FCSMTASSAL00	Rough pocket to be welded
FCPMTASLATZO	Galvanized side pocket
FCPMTASPOSZO	Galvanized rear pocket
FCPMTASRLAZO	Adjustable galvanized side pocket
FCPMTASRPOZO	Adjustable galvanized rear pocket
IQAVTAPMANTO	Plastic cap for front pillar
IQAVTAPMCNPT	Plastic cap for central / rear pillar
FCPMCIASFO00	Board fixing plate [included]



TIPPER - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
	FMCB400ADNX7	Front right_Width: 3,15"	0,98"	15,75"
	FMCB400ASXN7	Front left_Width: 3,15"		
	FMCA400CENN7	Central		
	FMCA400PDXN7	Rear right		
	FMCB500ADNX7	Front right_Width: 3,15"	0,98"	19,69"
	FMCB500ASXN7	Front left_Width: 3,15"		
	FMCA500CENN7	Central		
	FMCA500PDXN7	Rear right		
	FMCB600ADNX7	Front right_Width: 3,15"	0,98"	23,62"
	FMCB600ASXN7	Front left_Width: 3,15"		
	FMCA600CENN7	Central		
	FMCA600PDXN7	Rear right		
FMCB800ADNX7	Front right_Width: 3,15"	0,98"	31,5"	
FMCB800ASXN7	Front left_Width: 3,15"			
FMCA800CENN7	Central			
FMCA800PDXN7	Rear right			
FMCBA00ADNX7	Front right_Width: 3,15"	0,98"	39,37"	
FMCBA00ASXN7	Front left_Width: 3,15"			
FMCAA00CENN7	Central			
FMCAA00PDXN7	Rear right			
FMCBB00ADNX7	Front right_Width: 3,15"	0,98"	43,31"	
FMCBB00ASXN7	Front left_Width: 3,15"			
FMCA800CENN7	Central			
FMCA800PDXN7	Rear right			
FMCBC00ADNX7	Front right_Width: 3,15"	0,98"	47,24"	
FMCBC00ASXN7	Front left_Width: 3,15"			
FMCA800CENN7	Central			
FMCA800PDXN7	Rear right			
FMCAC00PDXN7	Rear left			

TERMINALS - galvanized steel		
CODE	ARTICLE	H in
FOBC400RIBZO	Side / Rear	15,75"
FOBC500RIBZO	Side / Rear	19,69"
FOBC600RIBZO	Side / Rear	23,62"
FOBC800RIBZO	Side / Rear	31,5"
FOBCA00LDXZO	Side right	39,37"
FOBCA00LSXZO	Side left	
FOBCA00PDXZO	Rear right	
FOBCA00PSXZO	Rear left	43,31"
FOBCB00LDXZO	Side right	
FOBCB00LSXZO	Side left	
FOBCB00PDXZO	Rear right	47,24"
FOBCB00PSXZO	Rear left	
FOBCC00LDXZO	Side right	
FOBCC00LSXZO	Side left	47,24"
FOBCC00PDXZO	Rear right	
FOBCC00PSXZO	Rear left	

Table:
H = Height (in)

Board fixing plate
[included]



ACCESSORIES & SPARE PARTS	
CODE	ARTICLE
FCPMCIASF000	Board fixing plate [included]



WEDGE POCKET TIPPER PILLAR - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
	FMDB500ADXN7	Front right_Width: 3,15"	0,98"	19,69"
	FMDB500ASXN7	Front left_Width: 3,15"		
	FMDA500CENN7	Central		
	FMDA500PDXN7	Rear right		
	FMDA500PSXN7	Rear left		
	FMDB600ADXN7	Front right_Width: 3,15"		
FMDB600ASXN7	Front left_Width: 3,15"			
FMDA600CENN7	Central			
FMDA600PDXN7	Rear right			
FMDA600PSXN7	Rear left			
FMDB800ADXN7	Front right_Width: 3,15"	0,98"	31,5"	
FMDB800ASXN7	Front left_Width: 3,15"			
FMDA800CENN7	Central			
FMDA800PDXN7	Rear right			
FMDA800PSXN7	Rear left			
	FMDBA00ADXN7			Front right_Width: 3,15"
	FMDBA00ASXN7	Front left_Width: 3,15"		
	FMDAA00CENN7	Central		
	FMDAA00PDXN7	Rear right		
	FMDAA00PSXN7	Rear left		
	FMDBB00ADXN7	Front right_Width: 3,15"	0,98"	43,31"
FMDBB00ASXN7	Front left_Width: 3,15"			
FMDAB00CENN7	Central			
FMDAB00PDXN7	Rear right			
FMDAB00PSXN7	Rear left			
FMDBC00ADXN7	Front right_Width: 3,15"	0,98"		
FMDBC00ASXN7	Front left_Width: 3,15"			
FMDAC00CENN7	Central			
FMDAC00PDXN7	Rear right			
FMDAC00PSXN7	Rear left			

TERMINALS - galvanized steel		
CODE	ARTICLE	H in
		
FOBC500RIBZO	Side / Rear	19,69"
FOBC600RIBZO	Side / Rear	23,62"
FOBC800RIBZO	Side / Rear	31,5"
FOCCA00LDXZO	Side right	39,37"
FOCCA00LSXZO	Side left	
FOCCA00PDXZO	Rear right	
FOCCA00PSXZO	Rear left	43,31"
FOCCB00LDXZO	Side right	
FOCCB00LSXZO	Side left	
FOCCB00PDXZO	Rear right	47,24"
FOCCB00PSXZO	Rear left	
FOCCC00LDXZO	Side right	
FOCCC00LSXZO	Side left	47,24"
FOCCC00PDXZO	Rear right	
FOCCC00PSXZO	Rear left	

Table:
H = Height (in)

Male coupling



Female coupling



ACCESSORIES & SPARE PARTS

CODE	ARTICLE
HACHFORMAS00	Male coupling
HACHFORFEM00	Female coupling



WEDGE POCKET TIPPER PILLAR TR5 - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
	FMOA400ADXN7	Front right_Width: 3,15"	1,18"	15,75"
	FMOA400ASXN7	Front left_Width: 3,15"		
	FMOA400CENN7	Central		
	FMOA400PDXN7	Rear right	1,18"	19,69"
	FMOA400PSXN7	Rear left		
	FMOA500ADXN7	Front right_Width: 3,15"		
	FMOA500ASXN7	Front left_Width: 3,15"	1,18"	23,62"
	FMOA500CENN7	Central		
	FMOA500PDXN7	Rear right		
	FMOA500PSXN7	Rear left	1,18"	31,5"
	FMOA600ADXN7	Front right_Width: 3,15"		
	FMOA600ASXN7	Front left_Width: 3,15"		
	FMOA600CENN7	Central	1,18"	23,62"
	FMOA600PDXN7	Rear right		
	FMOA600PSXN7	Rear left		
	FMOA800ADXN7	Front right_Width: 3,15"	1,18"	31,5"
	FMOA800ASXN7	Front left_Width: 3,15"		
	FMOA800CENN7	Central		
	FMOA800PDXN7	Rear right	1,18"	31,5"
	FMOA800PSXN7	Rear left		

WEDGE POCKET TIPPER PILLAR TR5 DOUBLE HEIGHT - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
	FMOA450PDXN7	Rear right	1,18"	15,75 / 19,69"
	FMOA450PSXN7	Rear left		
	FMOA560PDXN7	Rear right	1,18"	19,69 / 23,62"
	FMOA560PSXN7	Rear left		

Table:
H = Height (in)

Galvanized pivot TR5



Male coupling



Female coupling TR5



ACCESSORIES & SPARE PARTS	
CODE	ARTICLE
HACFPERTR5Z0	Galvanized pivot TR5
HACHFORMAS00	Male coupling
HACHFORFE100	Female coupling TR5

TERMINALS - galvanized steel



CODE	ARTICLE	H in
FOCMTR5400Z0	Side / Rear	15,75"
FOCMTR5500Z0	Side / Rear	19,69"
FOCMTR5600Z0	Side / Rear	23,62"
FOCMTR5800Z0	Side / Rear	31,5"



WEDGE POCKET TIPPER PILLAR THICKNESS 45 - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
	FMPA400ADXN7	Front right_Width: 3,15"	1,57"	15,75"
	FMPA400ASXN7	Front left_Width: 3,15"		
	FMPA400CENN7	Central		
	FMPA400PDXN7	Rear right	1,57"	19,69"
	FMPA400PSXN7	Rear left		
	FMPA500ADXN7	Front right_Width: 3,15"		
	FMPA500ASXN7	Front left_Width: 3,15"	1,57"	23,62"
	FMPA500CENN7	Central		
	FMPA500PDXN7	Rear right		
	FMPA500PSXN7	Rear left	1,57"	31,5"
	FMPA600ADXN7	Front right_Width: 3,15"		
	FMPA600ASXN7	Front left_Width: 3,15"		
	FMPA600CENN7	Central	1,57"	23,62"
	FMPA600PDXN7	Rear right		
	FMPA600PSXN7	Rear left		
	FMPA800ADXN7	Front right_Width: 3,15"	1,57"	31,5"
	FMPA800ASXN7	Front left_Width: 3,15"		
	FMPA800CENN7	Central		
	FMPA800PDXN7	Rear right	1,57"	31,5"
	FMPA800PSXN7	Rear left		

Table:
H = Height (in)

Rough pivot SP45




Male coupling



Female coupling TR5



ACCESSORIES & SPARE PARTS	
CODE	ARTICLE
HACFPERSP450	Rough pivot SP45
HACHFORMAS00	Male coupling
HACHFORFE100	Female coupling TR5



WEDGE POCKET TIPPER PILLAR LIGHT COUPLING - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
	FMEAINNADXN7	Front right with coupling_Width: 3,15"	0,98"	15,75"
	FMEAINNASKXN7	Front left with coupling_Width: 3,15"		
	FMEAH40ADXN7	Front right_Width: 3,15"		
	FMEAH40ASKXN7	Front left_Width: 3,15"		
	FMEAH40CENN7	Central with coupling_Width: 4,72"		
	FMEAH40PDXN7	Rear right with coupling_Width: 4,72"		
	FMEAH40PSXN7	Rear left with coupling_Width: 4,72"		

TERMINALS - galvanized steel		
CODE	ARTICLE	H in
FOBC400RIBZ0	Side / Rear	15,75"
FOBC405RIBZ0	Side / Rear	15,75 / 19,69"

Table:
H = Height (in)

WEDGE POCKET TIPPER PILLAR LIGHT COUPLING DOUBLE HEIGHT - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
	FMEAH50PDXN7	Rear right_Width: 3,15"	0,98"	15,75 / 19,69"
	FMEAH50PSXN7	Rear left_Width: 3,15"		
	FMEAL50PDXN7	Rear right_Width: 4,72"		15,75 / 19,69"
	FMEAL50PSXN7	Rear left_Width: 4,72"		


Female light coupling_Width: 3,15"



Female light coupling_Width: 4,72"



ACCESSORIES & SPARE PARTS	
CODE	ARTICLE
HACHL08FEM00	Female light coupling_Width: 3,15"
HACHL12FEM00	Female light coupling_Width: 4,72"



JOINT PILLAR FOR CURTAIN BODY - cataforesis			
CODE	ARTICLE	BOARD THICKNESS (in)	H in
FMFC600CENN7	Central	0,98"	23,62"
FMFC800CENN7	Central		31,5"
FMFCA00CENN7	Central		39,37"

TERMINALS - galvanized steel		
CODE	ARTICLE	H in
FOAC600LDXZO	Side right	23,62"
FOAC600LSXZO	Side left	
FOAC800LDXZO	Side right	31,5"
FOAC800LSXZO	Side left	
FOACA00LDXZO	Side right	39,37"
FOACA00LSXZO	Side left	

Rough pocket to be welded



Galvanized side pocket



Adjustable pocket in galvanized steel: side



Board fixing plate [included]



ACCESSORIES & SPARE PARTS	
CODE	ARTICLE
FCSMTASSAL00	Rough pocket to be welded
FCPMTASLATZO	Galvanized side pocket
FCPMTASRLAZO	Adjustable galvanized side pocket
FCPMCIASF000	Board fixing plate [included]

TABLE			
MOD. H	A	B	C
600	595	-	-
800	732	-	-
1000	595	399	844

Table:
H = Height (in)


MOD. H = Model - Height (in)
A/B/C = (in)



CURTAINSIDER - rough steel		
CODE	ARTICLE	H in
FMA08026000	Curtainsider_Width: 3,15"	98,43"

Table:
H = Height (in)

Sticks holder 150 galvanized



Sticks holder 600 galvanized



Extendable post kit L1060 Curtainsider galvanized



Curtainsider board fixing plate



Extendable post block Curtainsider galvanized



CURTAINSIDER WITH 1 HANDLE - cataphoresis		
CODE	ARTICLE	H in
FMIB000280N7	Curtainsider CP4	110,2"

Table:
H = Height (in)

ACCESSORIES	
CODE	ARTICLE
FCPMPST150ZO	Sticks holder 150 galvanized
FCPMPST600ZO	Sticks holder 600 galvanized
FCPMKSF001ZO	Extendable post kit L1060 Curtainsider galvanized

SPARE PARTS	
CODE	ARTICLE
FCPM45CS0000	Curtainsider board fixing plate
FCPMBSF001ZN	Extendable post block Curtainsider galvanized
FCPMBSF002ZN	Extendable post block with galvanized hook
FCPMGSCS00ZN	Extendable post frame Curtainsider galvanized
FCPMSFCS00ZN	Extendable post profile Curtainsider galvanized
HBVFMF3022NM	Extendable post spring rough

Extendable post block with galvanized hook



Extendable post frame Curtainsider galvanized




Extendable post profile Curtainsider galvanized



Extendable post spring rough





CURTAINSIDER WITH 2 HANDLES - cataphoresis		
CODE	ARTICLE	H in
FMIB600280N7	Curtainsider CP5 600	110,2"
FMIB800280N7	Curtainsider CP5 800	110,2"
FMIBA00280N7	Curtainsider CP5 1000	110,2"

TERMINALS - galvanized steel		
CODE	ARTICLE	H in
FOAC60ALDXZO	Side right	23,62"
FOAC60ALSXZO	Side left	
FOAC80ALDXZO	Side right	31,5"
FOAC80ALSXZO	Side left	
FOACADALDXZO	Side right	39,37"
FOACADALSXZO	Side left	

Table:
H = Height (in)

ACCESSORIES	
CODE	ARTICLE
FCPMPST150ZO	Sticks holder 150 galvanized
FCPMKSF001ZO	Extendable post kit L1060 Curtainsider galvanized

SPARE PARTS	
CODE	ARTICLE
FCPM45CS0000	Curtainsider board fixing plate
FCPMBSF001ZN	Extendable post block Curtainsider galvanized
FCPMBSF002ZN	Extendable post block with galvanized hook
FCPMGSCS002N	Extendable post frame Curtainsider galvanized
FCPMSFCS002N	Extendable post profile Curtainsider galvanized
HBVFMF3022NM	Extendable post spring rough

Extendable post kit L1060 Curtainsider galvanized



Sticks holder 150 galvanized



Curtainsider board fixing plate



Extendable post block Curtainsider galvanized



Extendable post block with galvanized hook



Extendable post frame Curtainsider galvanized



Extendable post profile Curtainsider galvanized



Extendable post spring rough





TOP PILLAR FOR TIPPER - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
15,75"	FMJA400ADXN7	Front right_Width: 3,15"	0,98"	15,75"
	FMJA400ASXN7	Front left_Width: 3,15"		
	FMJA400CENN7	Central		
	FMJA400PDXN7	Rear right		
19,69"	FMJA400PSXN7	Rear left	0,98"	19,69"
	FMJA500ADXN7	Front right_Width: 3,15"		
	FMJA500ASXN7	Front left_Width: 3,15"		
	FMJA500CENN7	Central		
23,62"	FMJA500PDXN7	Rear right	0,98"	23,62"
	FMJA500PSXN7	Rear left		
	FMJA600ADXN7	Front right_Width: 3,15"		
	FMJA600ASXN7	Front left_Width: 3,15"		
31,5"	FMJA600CENN7	Central	0,98"	31,5"
	FMJA600PDXN7	Rear right		
	FMJA600PSXN7	Rear left		
	FMJA800ADXN7	Front right_Width: 3,15"		
	FMJA800ASXN7	Front left_Width: 3,15"	0,98"	31,5"
	FMJA800CENN7	Central		
	FMJA800PDXN7	Rear right		
	FMJA800PSXN7	Rear left		

Table:
H = Height (in)


TERMINALS - galvanized steel		
CODE	ARTICLE	H in
FOBC400RIBZD	Side / Rear	15,75"
FOBC500RIBZD	Side / Rear	19,69"
FOBC600RIBZD	Side / Rear	23,62"
FOBC800RIBZD	Side / Rear	31,5"





TRILATERAL TOP PILLAR FOR TIPPER - cataforesis				
	CODE	ARTICLE	BOARD THICKNESS (in)	H in
15,75"	FMKA400ADXN7	Front right_Width: 3,15"	0,98"	15,75"
	FMKA400ASXN7	Front left_Width: 3,15"		
	FMKA400CENN7	Central		
	FMKA400PDXN7	Rear right		
19,69"	FMKA400PSXN7	Rear left	0,98"	19,69"
	FMKA500ADXN7	Front right_Width: 3,15"		
	FMKA500ASXN7	Front left_Width: 3,15"		
	FMKA500CENN7	Central		
23,62"	FMKA500PDXN7	Rear right	0,98"	23,62"
	FMKA500PSXN7	Rear left		
	FMKA600ADXN7	Front right_Width: 3,15"		
	FMKA600ASXN7	Front left_Width: 3,15"		
31,5"	FMKA600CENN7	Central	0,98"	31,5"
	FMKA600PDXN7	Rear right		
	FMKA600PSXN7	Rear left		
	FMKA800ADXN7	Front right_Width: 3,15"		
	FMKA800ASXN7	Front left_Width: 3,15"	0,98"	31,5"
	FMKA800CENN7	Central		
	FMKA800PDXN7	Rear right		
	FMKA800PSXN7	Rear left		


Table:
H = Height (in)

TERMINALS - galvanized steel		
CODE	ARTICLE	H in
FOEC400TRIZO	Trilateral	15,75"
FOEC500TRIZO	Trilateral	19,69"
FOEC600TRIZO	Trilateral	23,62"
FOEC800TRIZO	Trilateral	31,5"



BUMPER BARS			
			
CODE	MATERIAL	L in	T in
FAAAZ20180GO	Galvanized steel + painted grey	70,87"	0,08"
FAAAZ20190GO		74,8"	
FAAAZ20200GO		78,74"	
FAAAZ20210GO		82,68"	
FAAAZ20220GO		86,61"	
FAAAZ20230GO		90,55"	
FAAAZ20240GO	94,49"		
IOAVTESINNNO	PVC cap	-	-

BUMPER BARS			
			
CODE	MATERIAL	L in	T in
FAAI000180NN	Stainless steel "FIORE"	70,87"	0,08"
FAAI000190NN		74,8"	
FAAI000200NN		78,74"	
FAAI000210NN		82,68"	
FAAI000220NN		86,61"	
FAAI000230NN		90,55"	
FAAI000240NN	94,49"		
IOAVTESINNNO	PVC cap	-	-

BUMPER BARS - MODEL "ALTO"			
			
CODE	MATERIAL	L in	T in
FAEA000230NN	Grey painted steel	90,55"	0,08"
FAEA000240NN		94,49"	
FAEA000230B0	White painted steel	90,55"	0,08"
FAEA000240B0		94,49"	


BUMPER BARS - MODEL "ALTO"			
			
CODE	MATERIAL	L in	T in
FAEI000230NN	Stainless steel "FIORE"	90,55"	0,08"
FAEI000240NN		94,49"	

PVC cap



NOTE: TAILOR SIZED BUMPER BARS AVAILABLE ON DEMAND

Table:
L = Length (in)
W = Width (in)
D = Depth (in)
H = Height (in)
T = Thickness (in)

LOAD FASTENING BARS					
					
CODE	MATERIAL	L in	W in	T in	WEIGHT lbs
FGAABARFMCZO	Galvanized steel - white	120,5"	5,3"	0,09"	13,86

ACCESSORY			
			
CODE	ARTICLE	H in	D in
HACPTERFCANO	PVC terminal	5,28"	0,47"

Table:
L = Length (in)
W = Width (in)
D = Depth (in)
H = Height (in)
T = Thickness (in)



© COPYRIGHT 2020 CO.PAR. S.r.l.
CO.PAR. RESERVES THE RIGHT TO ALTER MODELS AND SIZES WITHOUT PRIOR NOTICE

PROJECT & GRAPHIC DESIGN: MONICAALBERTON.COM
PHOTO: STUDIO PRIMOPIANO AND LUCIOLINGUANOTTO.COM
PRINT: MARIGRAF S.r.l.

PRINTED IN OCTOBER 2020

CO.PAR. USA

Travis Hopkey

M: +1.562.547.2137

E: t.hopkey@coparusa.com

www.coparusa.com

CO.PAR. S.r.l.

Industrial Vehicles Equipment

PLASTIC DIVISION

Via Tiepolo, 4

35019 Tombolo (PD) - Italy

METAL DIVISION

Via Casoni Nuova, 12

35014 Fontaniva (PD) - Italy

Tel. +39 049 9445040

Fax +39 049 9449014

info@copar.it

www.copar.it



MADE IN ITALY

